

QUERY CONTROL FORM		RTIS USE ONLY	
Application No. <u>09/587,750</u>	Prepared by <u>DUP</u>	Tracking Number <u>0600 7698</u>	
Examiner-GAU <u>Vaughn - 2178</u>	Date <u>10/26/04</u>	Week Date <u>9/6/04</u>	
	No. of queries <u>1</u>		

### JACKET

a. Serial No.	f. Foreign Priority	k. Print Claim(s)	p. PTO-1449
b. Applicant(s)	g. Disclaimer	l. Print Fig.	q. PTOL-85b
c. Continuing Data	h. Microfiche Appendix	m. Searched Column	r. Abstract
d. PCT	i. Title	n. PTO-270/328	<u>s. Sheets/Figs</u>
e. Domestic Priority	j. Claims Allowed	o. PTO-892	t. Other

### SPECIFICATION

- a. Page Missing
- b. Text Continuity
- c. Holes through Data
- d. Other Missing Text
- e. Illegible Text
- f. Duplicate Text
- g. Brief Description
- h. Sequence Listing
- i. Appendix
- j. Amendments
- k. Other

### CLAIMS

- a. Claim(s) Missing
- b. Improper Dependency
- c. Duplicate Numbers
- d. Incorrect Numbering
- e. Index Disagrees
- f. Punctuation
- g. Amendments
- h. Bracketing
- i. Missing Text
- j. Duplicate Text
- k. Other

### MESSAGE Sheets/Figs:

- a. Figures 6A-6B and 8 have improper shading.
- b. Figure 7 has a hole impinging upon drug.

Thank You  
initials DUP

### RESPONSE

~~Drawn out of~~  
Fig 6A-6B, 7 & 8 have been corrected in  
new submitted drwg (fig 1-9 on 10/12/04)

initials W/S